

# Mercury Outboards - Specifications - Standard Accessories - 2025.1

Information on this sheet is subject to change without notice.

|  | Specifications |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   | Standard Accessories - Single Installation |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |           |          |          |   |          |          |
|-----------------------------------------------------------------------------------|----------------|------------------|---------------|----------------|---------------------------------|------------------------------|--------------|----------------|------------|------------|--------------------------------|----------------------------|------------------------------------|-------------|------------|-------------------------------|--------------------|----------|---------------------------|-------------------|--------------------------------------------|------------------|-----------------------------------|---------------------|--------------|---------------|-------------------|-------------------------|--------------------------|-----------------------------|-----------------------------|----------------------------|-------------|-------------------|--------------------|-----------|----------|----------|---|----------|----------|
|                                                                                   | Shaft Length   | Counter Rotation | Tiller Handle | Remote Control | Mechanical Throttle&Shift (MTS) | Digital Throttle&Shift (DTS) | Manual Start | Electric Start | Power Tilt | Power Trim | Conventional Mid Section (CMS) | Advanced Mid Section (AMS) | Optional "Cold Fusion White" Color | Fuel System | Gear Ratio | Command Thrust Gear Case (CT) | Displacement (ccm) | Cylinder | Max. RPM at Full Throttle | Dry Weight [kg] * | Integrated Fuel Tank                       | Remote Fuel Tank | Fuel Quick Connect on Engine Side | Side Remote Control | Tacho Analog | Speedo Analog | Trim Gauge Analog | SC1000 Tacho SmartCraft | SC1000 Speedo SmartCraft | SC100 Trim Gauge SamrtCraft | SC100 Fuel Gauge SamrtCraft | Electro-Hydraulic Steering | Active Trim | VesselView Mobile | SeaPro Fuel Filter | Propeller |          |          |   |          |          |
| FourStroke                                                                        |                |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   |                                            |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |           |          |          |   |          |          |
| F2.5 M                                                                            | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | Carb        | 2,15:1     |                               | 85                 | 1        | 4500-5500                 | 18                | 0,95L                                      | -                | 13563Q3                           | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | BlackMax |          |   |          |          |
| F3.5 M                                                                            | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | Carb        | 2,15:1     |                               | 85                 | 1        | 5000-6000                 | 18                | 0,95L                                      | -                |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | BlackMax  |          |          |   |          |          |
| F3.5 ML                                                                           | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | Carb        | 2,15:1     |                               | 85                 | 1        | 5000-6000                 |                   | 0,95L                                      | -                |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | BlackMax |          |   |          |          |
| F4 M                                                                              | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | Carb        | 2,15:1     |                               | 123                | 1        | 4500-5500                 | 25                | 1,1L                                       | -                |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | BlackMax |          |   |          |          |
| F4 ML                                                                             | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | Carb        | 2,15:1     |                               | 123                | 1        | 4500-5500                 |                   | 1,1L                                       | -                |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | BlackMax |          |   |          |          |
| F5 M                                                                              | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | Carb        | 2,15:1     |                               | 123                | 1        | 4500-5500                 | 25                | 1,1L                                       | -                |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F5 ML                                                                             | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | Carb        | 2,15:1     |                               | 123                | 1        | 4500-5500                 |                   | 1,1L                                       | -                |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F5 MLA Sailpower                                                                  | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | Carb        | 2,15:1     |                               | 123                | 1        | 4500-5500                 |                   | 1,1L                                       | -                |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F6 M                                                                              | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | Carb        | 2,15:1     |                               | 123                | 1        | 5000-6000                 | 25                | 1,1L                                       | -                | 8M0215251                         | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | -        | - | BlackMax |          |
| F6 ML                                                                             | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | Carb        | 2,15:1     |                               | 123                | 1        | 5000-6000                 |                   | 1,1L                                       | -                |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F8 M EFI                                                                          | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 | 40                | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F8 ML EFI                                                                         | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F8 EH EFI                                                                         | S              |                  | x             |                |                                 |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F8 ELH EFI                                                                        | L              |                  | x             |                |                                 |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F8 EL EFI                                                                         | L              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F9.9 M EFI                                                                        | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 | 40                | -                                          | 12L              | 8M0215251                         | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | -        | - | BlackMax |          |
| F9.9 ML EFI                                                                       | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F9.9 EH EFI                                                                       | S              |                  | x             |                |                                 |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F9.9 ELH EFI                                                                      | L              |                  | x             |                |                                 |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F9.9 E EFI                                                                        | S              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F9.9 EL EFI                                                                       | L              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,08:1     |                               | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F9.9 MLH EFI CT                                                                   | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,42:1     | x                             | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F9.9 ELH EFI CT                                                                   | L              |                  | x             |                |                                 |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,42:1     | x                             | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F9.9 EL EFI CT                                                                    | L              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,42:1     | x                             | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F9.9 ELPT EFI CT                                                                  | L              |                  |               | x              | x                               |                              | x            | x              | x          |            |                                |                            |                                    | EFI         | 2,42:1     | x                             | 209                | 2        | 5000-6000                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F10 M EFI                                                                         | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 | 45                | -                                          | 12L              | 13563Q3                           | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | -        | - | BlackMax |          |
| F10 ML EFI                                                                        | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F10 E EFI                                                                         | S              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F10 EL EFI                                                                        | L              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F15 M EFI                                                                         | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 | 45                | -                                          | 12L              | 13563Q3                           | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | -        | - | -        | BlackMax |
| F15 ML EFI                                                                        | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F15 EH EFI                                                                        | S              |                  | x             |                |                                 |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F15 ELH EFI                                                                       | L              |                  | x             |                |                                 |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F15 E EFI                                                                         | S              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F15 EL EFI                                                                        | L              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F15 ELPT EFI                                                                      | L              |                  |               | x              | x                               |                              | x            | x              | x          |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F20 M EFI                                                                         | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 | 45                | -                                          | 12L              | 13563Q3                           | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | -        | - | -        | BlackMax |
| F20 ML EFI                                                                        | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F20 EH EFI                                                                        | S              |                  | x             |                |                                 |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F20 ELH EFI                                                                       | L              |                  | x             |                |                                 |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F20 ELHPT EFI                                                                     | L              |                  |               |                |                                 |                              | x            | x              | x          |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F20 E EFI                                                                         | S              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F20 EL EFI                                                                        | L              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F20 EPT EFI                                                                       | S              |                  |               | x              | x                               |                              | x            | x              | x          |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |
| F20 ELPT EFI                                                                      | L              |                  |               | x              | x                               |                              | x            | x              | x          |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -        | BlackMax |   |          |          |

# Mercury Outboards - Specifications - Standard Accessories - 2025.1

Information on this sheet is subject to change without notice.

|  | Specifications |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   | Standard Accessories - Single Installation |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |           |             |          |          |
|-----------------------------------------------------------------------------------|----------------|------------------|---------------|----------------|---------------------------------|------------------------------|--------------|----------------|------------|------------|--------------------------------|----------------------------|------------------------------------|-------------|------------|-------------------------------|--------------------|----------|---------------------------|-------------------|--------------------------------------------|------------------|-----------------------------------|---------------------|--------------|---------------|-------------------|-------------------------|--------------------------|-----------------------------|-----------------------------|----------------------------|-------------|-------------------|--------------------|-----------|-------------|----------|----------|
|                                                                                   | Shaft Length   | Counter Rotation | Tiller Handle | Remote Control | Mechanical Throttle&Shift (MTS) | Digital Throttle&Shift (DTS) | Manual Start | Electric Start | Power Tilt | Power Trim | Conventional Mid Section (CMS) | Advanced Mid Section (AMS) | Optional "Cold Fusion White" Color | Fuel System | Gear Ratio | Command Thrust Gear Case (CT) | Displacement [ccm] | Cylinder | Max. RPM at Full Throttle | Dry Weight [kg] * | Integrated Fuel Tank                       | Remote Fuel Tank | Fuel Quick Connect on Engine Side | Side Remote Control | Tacho Analog | Speedo Analog | Trim Gauge Analog | SC1000 Tacho SmartCraft | SC1000 Speedo SmartCraft | SC100 Trim Gauge SamrtCraft | SC100 Fuel Gauge SamrtCraft | Electro-Hydraulic Steering | Active Trim | VesselView Mobile | SeaPro Fuel Filter | Propeller |             |          |          |
| FourStroke                                                                        |                |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   |                                            |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |           |             |          |          |
| F25 M EFI                                                                         | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 | 60                | -                                          | 25L              | 8M0215251                         | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | BlackMax    |          |          |
| F25 ML EFI                                                                        | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 |                   | -                                          | 25L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | BlackMax  |             |          |          |
| F25 EH EFI                                                                        | S              |                  | x             |                |                                 |                              |              | x              |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 |                   | -                                          | 25L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | BlackMax    |          |          |
| F25 ELH EFI                                                                       | L              |                  | x             |                |                                 |                              |              | x              |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 |                   | -                                          | 25L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | BlackMax    |          |          |
| F25 ELHPT EFI                                                                     | L              |                  | x             |                |                                 |                              |              | x              |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 |                   | -                                          | 25L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | BlackMax    |          |          |
| F25 E EFI                                                                         | S              |                  |               | x              | x                               |                              |              | x              |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 |                   | -                                          | 25L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F25 EL EFI                                                                        | L              |                  |               | x              | x                               |                              |              | x              |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 |                   | -                                          | 25L              |                                   | x                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F25 EPT EFI                                                                       | S              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 |                   | -                                          | 25L              |                                   | x                   | -            | -             | x                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F25 ELPT EFI                                                                      | L              |                  |               | x              | x                               |                              |              |                | x          |            | x                              |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 |                   | -                                          | 25L              |                                   | x                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F30 M GA EFI                                                                      | S              |                  | x             |                |                                 |                              |              | x              |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5800-6200                 | 66                | -                                          | 25L              | 8M0215251                         | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F30 ML GA EFI                                                                     | L              |                  | x             |                |                                 |                              |              | x              |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5800-6200                 |                   | -                                          | 25L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | BlackMax    |          |          |
| F30 ELHPT EFI                                                                     | L              |                  | x             |                |                                 |                              |              |                | x          |            | x                              |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5800-6200                 |                   | -                                          | 25L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | BlackMax    |          |          |
| F30 EPT EFI                                                                       | S              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5800-6200                 |                   | -                                          | 25L              |                                   | x                   | -            | -             | x                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F30 ELPT EFI                                                                      | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5800-6200                 |                   | -                                          | 25L              |                                   | x                   | -            | -             | x                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F30 ELPT EFI CT                                                                   | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,00:1     | x                             | 747                | 3        | 5800-6200                 |                   | -                                          | -                |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F40 ELHPT EFI                                                                     | L              |                  | x             |                |                                 |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,00:1     |                               | 747                | 3        | 5500-6000                 |                   | -                                          | -                |                                   | 1356303             | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | -        | BlackMax |
| F40 EPT EFI                                                                       | S              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,00:1     |                               | 747                | 3        | 5500-6000                 | 98                | -                                          | -                |                                   |                     | x            | x             | x                 | x                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | -        | BlackMax |
| F40 ELPT EFI                                                                      | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,00:1     |                               | 747                | 3        | 5500-6000                 |                   | -                                          | -                |                                   |                     | x            | x             | x                 | x                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | -        | BlackMax |
| F40 ELPT EFI Orion                                                                | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 1,83:1     |                               | 995                | 4        | 5500-6000                 | 112               | -                                          | -                | x                                 |                     | x            | x             | x                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F40 ELPT EFI CT Pro                                                               | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,33:1     | x                             | 995                | 4        | 5500-6000                 | 118               | -                                          | -                | x                                 |                     | x            | x             | x                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F50 ELHPT EFI                                                                     | L              |                  | x             |                |                                 |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 1,83:1     |                               | 995                | 4        | 5500-6000                 |                   | -                                          | -                | -                                 |                     | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F50 ELPT EFI                                                                      | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 1,83:1     |                               | 995                | 4        | 5500-6000                 | 112               | -                                          | -                | x                                 |                     | x            | x             | x                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F50 ELPT EFI CT                                                                   | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,33:1     | x                             | 995                | 4        | 5500-6000                 | 118               | -                                          | -                | x                                 |                     | x            | x             | x                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F60 ELHPT EFI                                                                     | L              |                  | x             |                |                                 |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 1,83:1     |                               | 995                | 4        | 5500-6000                 |                   | -                                          | -                | -                                 |                     | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F60 ELPT EFI                                                                      | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 1,83:1     |                               | 995                | 4        | 5500-6000                 | 112               | -                                          | -                | x                                 |                     | x            | x             | x                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F60 ELPT EFI CT                                                                   | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,33:1     | x                             | 995                | 4        | 5500-6000                 | 118               | -                                          | -                | x                                 |                     | x            | x             | x                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F80 ELPT EFI                                                                      | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,07:1     |                               | 2.064              | 4        | 4500-5500                 | 163               | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | BlackMax    |          |          |
| F100 L EFI                                                                        | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,07:1     |                               | 2.064              | 4        | 5000-6000                 | 163               | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | BlackMax    |          |          |
| F100 XL EFI                                                                       | XL             |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,07:1     |                               | 2.064              | 4        | 5000-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | BlackMax    |          |          |
| F100 L EFI CT                                                                     | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2.064              | 4        | 5000-6000                 | 165               | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | BlackMax    |          |          |
| F100 XL EFI CT                                                                    | XL             |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2.064              | 4        | 5000-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | BlackMax    |          |          |
| F115 L EFI                                                                        | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,07:1     |                               | 2.064              | 4        | 5000-6000                 | 163               | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | BlackMax    |          |          |
| F115 XL EFI                                                                       | XL             |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,07:1     |                               | 2.064              | 4        | 5000-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | BlackMax    |          |          |
| F115 L EFI CT                                                                     | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2.064              | 4        | 5000-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | BlackMax    |          |          |
| F115 XL EFI CT                                                                    | XL             |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2.064              | 4        | 5000-6000                 | 165               | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | BlackMax    |          |          |
| F115 CXL EFI CT                                                                   | XL             | x                |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2.064              | 4        | 5000-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | -                  | -         | -           | BlackMax |          |
| F150 L EFI                                                                        | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            | x                                  | EFI         | 1,92:1     |                               | 3.000              | 4        | 5000-5800                 | 206               | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | Revolution4 |          |          |
| F150 XL EFI                                                                       | XL             |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            | x                                  | EFI         | 1,92:1     |                               | 3.000              | 4        | 5000-5800                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | x                  | -         | Revolution4 |          |          |
| F150 CXL EFI                                                                      | XL             | x                |               | x              | x                               |                              |              | x              |            | x          |                                |                            | x                                  | EFI         | 1,92:1     |                               | 3.000              | 4        | 5000-5800                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | -                          | -           | -                 | -                  | -         | Revolution4 |          |          |
| F175 L                                                                            | L              |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,85:1     |                               | 3.400              | V6       | 5000-5800                 | 216               | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | x                          | -           | x                 | x                  | -         | Revolution4 |          |          |
| F175 XL                                                                           | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,85:1     |                               | 3.400              | V6       | 5000-5800                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | x                          | -           | x                 | x                  | -         | Revolution4 |          |          |
| F175 CXL                                                                          | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,85:1     |                               | 3.400              | V6       | 5000-5800                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | -         | Revolution4 |          |          |
| F200 L                                                                            | L              |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            | x                                  | EFI         | 1,85:1     |                               | 3.400              | V6       | 5000-5800                 | 216               | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | x                          | -           | x                 | x                  | -         | Revolution4 |          |          |
| F200 XL                                                                           | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            | x                                  | EFI         | 1,85:1     |                               | 3.400              | V6       | 5000-5800                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | x                          | -           | x                 | x                  | -         | Revolution4 |          |          |
| F200 CXL                                                                          | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            | x                                  | EFI         | 1,85:1     |                               | 3.400              | V6       | 5000-5800                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | -                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | -         | Revolution4 |          |          |

# Mercury Outboards - Specifications - Standard Accessories - 2025.1

Information on this sheet is subject to change without notice.

|  | Specifications |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   | Standard Accessories - Single Installation |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |             |  |  |  |  |
|-----------------------------------------------------------------------------------|----------------|------------------|---------------|----------------|---------------------------------|------------------------------|--------------|----------------|------------|------------|--------------------------------|----------------------------|------------------------------------|-------------|------------|-------------------------------|--------------------|----------|---------------------------|-------------------|--------------------------------------------|------------------|-----------------------------------|---------------------|--------------|---------------|-------------------|-------------------------|--------------------------|-----------------------------|-----------------------------|----------------------------|-------------|-------------------|--------------------|-------------|--|--|--|--|
|                                                                                   | Shaft Length   | Counter Rotation | Tiller Handle | Remote Control | Mechanical Throttle&Shift (MTS) | Digital Throttle&Shift (DTS) | Manual Start | Electric Start | Power Tilt | Power Trim | Conventional Mid Section (CMS) | Advanced Mid Section (AMS) | Optional "Cold Fusion White" Color | Fuel System | Gear Ratio | Command Thrust Gear Case (CT) | Displacement [ccm] | Cylinder | Max. RPM at Full Throttle | Dry Weight [kg] * | Integrated Fuel Tank                       | Remote Fuel Tank | Fuel Quick Connect on Engine Side | Side Remote Control | Tacho Analog | Speedo Analog | Trim Gauge Analog | SC1000 Tacho SmartCraft | SC1000 Speedo SmartCraft | SC100 Trim Gauge SamrtCraft | SC100 Fuel Gauge SamrtCraft | Electro-Hydraulic Steering | Active Trim | VesselView Mobile | SeaPro Fuel Filter | Propeller   |  |  |  |  |
| FourStroke                                                                        |                |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   |                                            |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |             |  |  |  |  |
| F225 L                                                                            | L              |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            | x                                  | EFI         | 1,85:1     |                               | 3.400              | V6       | 5200-6000                 | 216               | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | -                          | x           | x                 | -                  | Revolution4 |  |  |  |  |
| F225 XL                                                                           | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            | x                                  | EFI         | 1,85:1     |                               | 3.400              | V6       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | -                          | x           | x                 | -                  | Revolution4 |  |  |  |  |
| F225 CXL                                                                          | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            | x                                  | EFI         | 1,85:1     |                               | 3.400              | V6       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | -                          | -           | -                 | -                  | Revolution4 |  |  |  |  |
| F225 XXL                                                                          | XXL            |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            | x                                  | EFI         | 1,85:1     |                               | 3.400              | V6       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | -                          | x           | x                 | -                  | Revolution4 |  |  |  |  |
| F225 CXXL                                                                         | XXL            | x                |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            | x                                  | EFI         | 1,85:1     |                               | 3.400              | V6       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | -                          | -           | -                 | -                  | Revolution4 |  |  |  |  |
| F250 XL                                                                           | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5200-6000                 | 239               | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | -                          | x           | x                 | -                  | Revolution4 |  |  |  |  |
| F225 CXL                                                                          | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | -                          | -           | -                 | -                  | Revolution4 |  |  |  |  |
| F300 XL                                                                           | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5200-6000                 | 239               | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | -                          | x           | x                 | -                  | Revolution4 |  |  |  |  |
| F300 CXL                                                                          | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | -                          | -           | -                 | -                  | Revolution4 |  |  |  |  |
| Verado                                                                            |                |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   |                                            |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |             |  |  |  |  |
| F250 L Verado                                                                     | L              |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 | 272               | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | x                 | -                  | Revolution4 |  |  |  |  |
| F250 XL Verado                                                                    | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | x                 | -                  | Revolution4 |  |  |  |  |
| F250 CXL Verado                                                                   | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | Revolution4 |  |  |  |  |
| F250 XXL Verado                                                                   | XXL            |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | -                 | -                  | Revolution4 |  |  |  |  |
| F250 CXXL Verado                                                                  | XXL            | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | Revolution4 |  |  |  |  |
| F300 L Verado                                                                     | L              |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 | 272               | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | -                 | Revolution4        |             |  |  |  |  |
| F300 CL Verado                                                                    | L              | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | Revolution4 |  |  |  |  |
| F300 XL Verado                                                                    | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | -                 | -                  | Revolution4 |  |  |  |  |
| F300 CXL Verado                                                                   | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | Revolution4 |  |  |  |  |
| F300 XXL Verado                                                                   | XXL            |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | -                 | -                  | Revolution4 |  |  |  |  |
| F300 CXXL Verado                                                                  | XXL            | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 1,85:1     |                               | 4.600              | V8       | 5200-6000                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | Revolution4 |  |  |  |  |
| F350 L Verado                                                                     | L              |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 | 316               | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | -                 | RevolutionX        |             |  |  |  |  |
| F350 CL Verado                                                                    | L              | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F350 XL Verado                                                                    | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | -                 | -                  | RevolutionX |  |  |  |  |
| F350 CXL Verado                                                                   | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F350 XXL Verado                                                                   | XXL            |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | -                 | -                  | RevolutionX |  |  |  |  |
| F350 CXXL Verado                                                                  | XXL            | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F350 XXXL Verado                                                                  | XXXL           |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F350 CXXXL Verado                                                                 | XXXL           | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F400 L Verado                                                                     | L              |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 | 316               | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | -                 | RevolutionX        |             |  |  |  |  |
| F400 CL Verado                                                                    | L              | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F400 XL Verado                                                                    | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F400 CXL Verado                                                                   | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F400 XXL Verado                                                                   | XXL            |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F400 CXXL Verado                                                                  | XXL            | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F400 XXXL Verado                                                                  | XXXL           |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F400 CXXXL Verado                                                                 | XXXL           | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,08:1     |                               | 5.700              | V10      | 5800-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |  |  |  |  |
| F600 L Verado                                                                     | L              | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,50:1     |                               | 7.600              | V12      | 5600-6400                 | 572               | -                                          | -                | -                                 | x                   | -            | -             | -                 | VV 903 included         |                          |                             | x                           | x                          | x           | -                 | Verado12           |             |  |  |  |  |
| F600 XL Verado                                                                    | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,50:1     |                               | 7.600              | V12      | 5600-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | VV 903 included         |                          |                             | x                           | x                          | x           | -                 | Verado12           |             |  |  |  |  |
| F600 XXL Verado                                                                   | XXL            | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,50:1     |                               | 7.600              | V12      | 5600-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | VV 903 included         |                          |                             | x                           | x                          | x           | -                 | Verado12           |             |  |  |  |  |
| F600 XXXL Verado                                                                  | XXXL           | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          | x                                  | EFI         | 2,50:1     |                               | 7.600              | V12      | 5600-6400                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | VV 903 included         |                          |                             | x                           | x                          | x           | -                 | Verado12           |             |  |  |  |  |

# Mercury Outboards - Specifications - Standard Accessories - 2025.1

Information on this sheet is subject to change without notice.

|  | Specifications |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           | Standard Accessories - Single Installation |                      |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |             |  |  |
|-----------------------------------------------------------------------------------|----------------|------------------|---------------|----------------|---------------------------------|------------------------------|--------------|----------------|------------|------------|--------------------------------|----------------------------|------------------------------------|-------------|------------|-------------------------------|--------------------|----------|---------------------------|--------------------------------------------|----------------------|------------------|-----------------------------------|---------------------|--------------|---------------|-------------------|-------------------------|--------------------------|-----------------------------|-----------------------------|----------------------------|-------------|-------------------|--------------------|-------------|--|--|
|                                                                                   | Shaft Length   | Counter Rotation | Tiller Handle | Remote Control | Mechanical Throttle&Shift (MTS) | Digital Throttle&Shift (DTS) | Manual Start | Electric Start | Power Tilt | Power Trim | Conventional Mid Section (CMS) | Advanced Mid Section (AMS) | Optional "Cold Fusion White" Color | Fuel System | Gear Ratio | Command Thrust Gear Case (CT) | Displacement [ccm] | Cylinder | Max. RPM at Full Throttle | Dry Weight [kg] *                          | Integrated Fuel Tank | Remote Fuel Tank | Fuel Quick Connect on Engine Side | Side Remote Control | Tacho Analog | Speedo Analog | Trim Gauge Analog | SC1000 Tacho SmartCraft | SC1000 Speedo SmartCraft | SC100 Trim Gauge SamrtCraft | SC100 Fuel Gauge SamrtCraft | Electro-Hydraulic Steering | Active Trim | VesselView Mobile | SeaPro Fuel Filter | Propeller   |  |  |
| Pro XS                                                                            |                |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                                            |                      |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |             |  |  |
| F115 L Pro XS                                                                     | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,07:1     |                               | 2.064              | 4        | 5300-600                  | 163                                        | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | BlackMax    |  |  |
| F115 XL Pro XS                                                                    | XL             |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,07:1     |                               | 2.064              | 4        | 5300-6300                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | BlackMax    |  |  |
| F115 L Pro XS CT                                                                  | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2.064              | 4        | 5300-6300                 | 165                                        | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | BlackMax    |  |  |
| F115 XL Pro XS CT                                                                 | XL             |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2.064              | 4        | 5300-6300                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | BlackMax    |  |  |
| F150 L Pro XS                                                                     | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,08:1     |                               | 3.000              | 4        | 5200-6000                 | 207                                        | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F150 XL Pro XS                                                                    | XL             |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,08:1     |                               | 3.000              | 4        | 5200-6000                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F175 L Pro XS MTS                                                                 | L              |                  |               | x              | x                               |                              |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,85:1     |                               | 3.400              | V6       | 5400-6000                 | 213                                        | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F175 XL Pro XS MTS                                                                | XL             |                  |               | x              | x                               |                              |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,85:1     |                               | 3.400              | V6       | 5400-6000                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F200 XL Pro XS                                                                    | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,85:1     |                               | 4.600              | V8       | 5600-6200                 | 229                                        | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F200 L Pro XS TM DTS                                                              | L              |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5600-6200                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F200 L Pro XS TM MTS                                                              | L              |                  |               | x              | x                               |                              |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5600-6200                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F225 XL Pro XS                                                                    | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5600-6200                 | 229                                        | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F225 L Pro XS TM DTS                                                              | L              |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5600-6200                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F250 XL Pro XS                                                                    | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5600-6200                 | 229                                        | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F250 CXL Pro XS                                                                   | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5600-6200                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | -                 | -                  | Revolution4 |  |  |
| F250 L Pro XS TM DTS                                                              | L              |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5600-6200                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F300 XL Pro XS                                                                    | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5600-6200                 | 229                                        | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |
| F300 CXL Pro XS                                                                   | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5600-6200                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | -                 | -                  | Revolution4 |  |  |
| F300 L Pro XS TM DTS                                                              | L              |                  |               | x              |                                 | x                            |              | x              |            | x          | x                              |                            |                                    | EFI         | 1,75:1     |                               | 4.600              | V8       | 5600-6200                 |                                            | -                    | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | -                           | -                          | -           | x                 | -                  | Revolution4 |  |  |

\* Dry weight is for the lightest model and excludes engine oil, rigging, and propeller.

Dual Installations of FourStroke engines 115 HP up to 150 HP include the following instruments: 2x SC1000 Tacho, 1x SC1000 Speedo, 2x SC100 Trim Gauge, 1x VesselView Mobile

Dual Installations of FourStroke, Verado and Pro XS engines 175 HP up to 400 HP include the following instruments: 2x SC1000 Tacho, 1x SC1000 Speedo, 2x SC100 Trim Gauge, 1x SC100 Fuel Gauge, 1x VesselView Mobile

# Mercury Outboards - Specifications - Standard Accessories - 2025.1

Information on this sheet is subject to change without notice.

|  | Specifications |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   | Standard Accessories - Single Installation |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |              |              |              |              |             |
|-----------------------------------------------------------------------------------|----------------|------------------|---------------|----------------|---------------------------------|------------------------------|--------------|----------------|------------|------------|--------------------------------|----------------------------|------------------------------------|-------------|------------|-------------------------------|--------------------|----------|---------------------------|-------------------|--------------------------------------------|------------------|-----------------------------------|---------------------|--------------|---------------|-------------------|-------------------------|--------------------------|-----------------------------|-----------------------------|----------------------------|-------------|-------------------|--------------------|--------------|--------------|--------------|--------------|-------------|
|                                                                                   | Shaft Length   | Counter Rotation | Tiller Handle | Remote Control | Mechanical Throttle&Shift (MTS) | Digital Throttle&Shift (DTS) | Manual Start | Electric Start | Power Tilt | Power Trim | Conventional Mid Section (CMS) | Advanced Mid Section (AMS) | Optional "Cold Fusion White" Color | Fuel System | Gear Ratio | Command Thrust Gear Case (CT) | Displacement [ccm] | Cylinder | Max. RPM at Full Throttle | Dry Weight [kg] * | Integrated Fuel Tank                       | Remote Fuel Tank | Fuel Quick Connect on Engine Side | Side Remote Control | Tacho Analog | Speedo Analog | Trim Gauge Analog | SC1000 Tacho SmartCraft | SC1000 Speedo SmartCraft | SC100 Trim Gauge SamrtCraft | SC100 Fuel Gauge SamrtCraft | Electro-Hydraulic Steering | Active Trim | VesselView Mobile | SeaPro Fuel Filter | Propeller    |              |              |              |             |
| SeaPro                                                                            |                |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   |                                            |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |              |              |              |              |             |
| F15 M SeaPro                                                                      | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 | 45                | -                                          | 12L              | 13563Q3                           | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -            | BlackMax Alu |              |              |             |
| F15 ML SeaPro                                                                     | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | BlackMax Alu |              |              |              |             |
| F15 EL SeaPro                                                                     | L              |                  |               | x              | x                               |                              | x            | x              |            |            |                                |                            |                                    | EFI         | 2,15:1     |                               | 333                | 2        | 5700-6200                 |                   | -                                          | 12L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -            | BlackMax Alu |              |              |             |
| F25 M SeaPro                                                                      | S              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 | 60                | -                                          | 25L              | 8M0215251                         | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -            | -            | BlackMax Alu |              |             |
| F25 ML SeaPro                                                                     | L              |                  | x             |                |                                 |                              | x            |                |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 |                   | -                                          | 25L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -            | BlackMax Alu |              |              |             |
| F25 EL SeaPro                                                                     | L              |                  |               | x              | x                               |                              |              | x              |            |            |                                |                            |                                    | EFI         | 2,17:1     |                               | 500                | 3        | 5400-5800                 |                   | -                                          | 25L              |                                   | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -            | -            | BlackMax Alu |              |             |
| F40 ELPT SeaPro                                                                   | L              |                  |               | x              | x                               |                              |              | x              |            | x          |                                |                            |                                    | EFI         | 2,33:1     | x                             | 995                | 4        | 4500-5500                 |                   | -                                          | -                | 13563Q3                           | x                   | -            | -             | -                 | -                       | x                        | -                           | -                           | -                          | -           | -                 | -                  | -            | x            | BlackMax Alu |              |             |
| F40 EXLPT SeaPro                                                                  | XL             |                  |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,33:1     | x                             | 995                | 4        | 4500-5500                 |                   | -                                          | -                |                                   | x                   | -            | -             | -                 | -                       | x                        | -                           | -                           | -                          | -           | -                 | -                  | x            | BlackMax Alu |              |              |             |
| F40 ELHPT SeaPro                                                                  | L              |                  | x             |                |                                 |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,33:1     | x                             | 995                | 4        | 4500-5500                 |                   | -                                          | -                |                                   | -                   | -            | -             | -                 | -                       | x                        | -                           | -                           | -                          | -           | -                 | -                  | -            | x            | BlackMax Alu |              |             |
| F60 ELPT SeaPro                                                                   | L              |                  |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,33:1     | x                             | 995                | 4        | 5000-5500                 |                   | -                                          | -                | 13563Q3                           | x                   | -            | -             | -                 | -                       | x                        | -                           | -                           | -                          | -           | -                 | -                  | -            | x            | BlackMax Alu |              |             |
| F60 EXLPT SeaPro                                                                  | XL             |                  |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,33:1     | x                             | 995                | 4        | 5000-5500                 |                   | -                                          | -                |                                   | x                   | -            | -             | -                 | -                       | x                        | -                           | -                           | -                          | -           | -                 | -                  | -            | x            | BlackMax Alu |              |             |
| F60 ELHPT SeaPro                                                                  | L              |                  | x             |                |                                 |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,33:1     | x                             | 995                | 4        | 5000-5500                 |                   | -                                          | -                |                                   | -                   | -            | -             | -                 | -                       | x                        | -                           | -                           | -                          | -           | -                 | -                  | -            | -            | x            | BlackMax Alu |             |
| F60 EXLHPT SeaPro                                                                 | XL             |                  | x             |                |                                 |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,33:1     | x                             | 995                | 4        | 5000-5500                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -            | -            | x            | BlackMax Alu |             |
| F75 ELPT SeaPro                                                                   | L              |                  |               | x              |                                 |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2,064              | 4        | 5000-5500                 | 165               | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | x                           | x                           | x                          | -           | -                 | -                  | x            | x            | Revolution4  |              |             |
| F75 ELHPT SeaPro                                                                  | L              |                  | x             |                |                                 |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2,064              | 4        | 5000-5500                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | -                       | x                        | -                           | x                           | x                          | -           | -                 | -                  | -            | -            | Revolution4  |              |             |
| F90 ELPT SeaPro                                                                   | L              |                  |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2,064              | 4        | 5000-5500                 | 165               | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | x            | Revolution4  |             |
| F90 EXLPT SeaPro                                                                  | XL             |                  |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2,064              | 4        | 5000-5500                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | x            | Revolution4  |             |
| F90 ELHPT SeaPro                                                                  | L              |                  | x             |                |                                 |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2,064              | 4        | 5000-5500                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -            | -            | Revolution4  |              |             |
| F90 EXLHPT SeaPro                                                                 | XL             |                  | x             |                |                                 |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2,064              | 4        | 5000-5500                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -            | -            | Revolution4  |              |             |
| F115 ELPT SeaPro                                                                  | L              |                  |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2,064              | 4        | 5000-5500                 | 165               | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F115 EXLPT SeaPro                                                                 | XL             |                  |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2,064              | 4        | 5000-5500                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F115 EXLPT SeaPro                                                                 | XL             | x                |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2,064              | 4        | 5000-5500                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F115 ELHPT SeaPro                                                                 | XL             |                  | x             |                |                                 |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,38:1     | x                             | 2,064              | 4        | 5000-5500                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | -                       | -                        | -                           | -                           | -                          | -           | -                 | -                  | -            | -            | -            | Revolution4  |             |
| F150 L SeaPro                                                                     | L              |                  |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,08:1     |                               | 3,000              | 4        | 4800-5300                 | 206               | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F150 XL SeaPro                                                                    | XL             |                  |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,08:1     |                               | 3,000              | 4        | 4800-5300                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F150 CXL SeaPro                                                                   | XL             | x                |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 2,08:1     |                               | 3,000              | 4        | 4800-5300                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F200 XL SeaPro                                                                    | XL             |                  |               | x              |                                 | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,85:1     |                               | 3,400              | V6       | 4600-5400                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F200 CXL SeaPro                                                                   | XL             | x                |               | x              |                                 | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,85:1     |                               | 3,400              | V6       | 4600-5400                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F225 L SeaPro                                                                     | L              |                  |               | x              | x                               |                              |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 | 239               | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F225 CL SeaPro                                                                    | L              | x                |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F225 XL SeaPro                                                                    | XL             |                  |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F225 CXL SeaPro                                                                   | XL             | x                |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F225 XXL SeaPro                                                                   | XXL            |                  |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F225 CXXL SeaPro                                                                  | XXL            | x                |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F250 XL SeaPro                                                                    | XL             |                  |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F250 CXL SeaPro                                                                   | XL             | x                |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F250 XXL SeaPro                                                                   | XXL            |                  |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F250 CXXL SeaPro                                                                  | XXL            | x                |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F300 XL SeaPro                                                                    | XL             |                  |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 | 239               | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F300 CXL SeaPro                                                                   | XL             | x                |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F300 XXL SeaPro                                                                   | XXL            |                  |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F300 CXXL SeaPro                                                                  | XXL            | x                |               | x              | x                               | x                            |              | x              | x          | x          |                                |                            |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | -                  | -            | -            | -            | Revolution4  |             |
| F300 XL SeaPro - AMS                                                              | XL             |                  |               | x              | x                               | x                            |              | x              | x          |            |                                | x                          |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 | 272               | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | x                  | x            | x            | Revolution4  |              |             |
| F300 CXL SeaPro - AMS                                                             | XL             | x                |               | x              | x                               | x                            |              | x              | x          |            |                                | x                          |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | x                  | -            | -            | -            | -            | Revolution4 |
| F300 XXL SeaPro - AMS                                                             | XXL            |                  |               | x              | x                               | x                            |              | x              | x          |            |                                | x                          |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | x                  | x            | x            | Revolution4  |              |             |
| F300 CXXL SeaPro - AMS                                                            | XXL            | x                |               | x              | x                               | x                            |              | x              | x          |            |                                | x                          |                                    | EFI         | 1,75:1     |                               | 4,600              | V8       | 4800-5600                 |                   | -                                          | -                | -                                 | -                   | -            | -             | -                 | x                       | -                        | -                           | -                           | -                          | x           | x                 | x                  | -            | -            | -            | -            | Revolution4 |

# Mercury Outboards - Specifications - Standard Accessories - 2025.1

Information on this sheet is subject to change without notice.

|  | Specifications |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   | Standard Accessories - Single Installation |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |             |             |  |
|-----------------------------------------------------------------------------------|----------------|------------------|---------------|----------------|---------------------------------|------------------------------|--------------|----------------|------------|------------|--------------------------------|----------------------------|------------------------------------|-------------|------------|-------------------------------|--------------------|----------|---------------------------|-------------------|--------------------------------------------|------------------|-----------------------------------|---------------------|--------------|---------------|-------------------|-------------------------|--------------------------|-----------------------------|-----------------------------|----------------------------|-------------|-------------------|--------------------|-------------|-------------|--|
|                                                                                   | Shaft Length   | Counter Rotation | Tiller Handle | Remote Control | Mechanical Throttle&Shift (MTS) | Digital Throttle&Shift (DTS) | Manual Start | Electric Start | Power Tilt | Power Trim | Conventional Mid Section (CMS) | Advanced Mid Section (AMS) | Optional "Cold Fusion White" Color | Fuel System | Gear Ratio | Command Thrust Gear Case (CT) | Displacement [ccm] | Cylinder | Max. RPM at Full Throttle | Dry Weight [kg] * | Integrated Fuel Tank                       | Remote Fuel Tank | Fuel Quick Connect on Engine Side | Side Remote Control | Tacho Analog | Speedo Analog | Trim Gauge Analog | SC1000 Tacho SmartCraft | SC1000 Speedo SmartCraft | SC100 Trim Gauge SamrtCraft | SC100 Fuel Gauge SamrtCraft | Electro-Hydraulic Steering | Active Trim | VesselView Mobile | SeaPro Fuel Filter | Propeller   |             |  |
| SeaPro                                                                            |                |                  |               |                |                                 |                              |              |                |            |            |                                |                            |                                    |             |            |                               |                    |          |                           |                   |                                            |                  |                                   |                     |              |               |                   |                         |                          |                             |                             |                            |             |                   |                    |             |             |  |
| F350 XL SeaPro                                                                    | XL             |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          |                                    | EFI         | 2,08:1     |                               | 5.700              | V10      | 5300-5900                 | 316               | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | x                 | x                  | -           | RevolutionX |  |
| F350 CXL SeaPro                                                                   | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          |                                    | EFI         | 2,08:1     |                               | 5.700              | V10      | 5300-5900                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | x                 | -                  | -           | RevolutionX |  |
| F350 XXL SeaPro                                                                   | XXL            |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          |                                    | EFI         | 2,08:1     |                               | 5.700              | V10      | 5300-5900                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | x                 | x                  | -           | RevolutionX |  |
| F350 CXXL SeaPro                                                                  | XXL            | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          |                                    | EFI         | 2,08:1     |                               | 5.700              | V10      | 5300-5900                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | -                 | -                  | -           | RevolutionX |  |
| F350 XXXL SeaPro                                                                  | XXXL           |                  |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          |                                    | EFI         | 2,08:1     |                               | 5.700              | V10      | 5300-5900                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | x           | x                 | x                  | -           | RevolutionX |  |
| F350 CXXXL SeaPro                                                                 | XXXL           | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          |                                    | EFI         | 2,08:1     |                               | 5.700              | V10      | 5300-5900                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | x                       | x                        | x                           | x                           | x                          | -           | -                 | -                  | RevolutionX |             |  |
| F500 L SeaPro                                                                     | L              | x                |               |                | x                               | x                            |              | x              |            | x          |                                | x                          |                                    | EFI         | 2,50:1     |                               | 7.600              | V12      | 5000-5800                 | 572               | -                                          | -                | -                                 | x                   | -            | -             | -                 | VV 903 included         |                          |                             |                             | x                          | x           | x                 | -                  | Verado12    |             |  |
| F500 XL SeaPro                                                                    | XL             | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          |                                    | EFI         | 2,50:1     |                               | 7.600              | V12      | 5000-5800                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | VV 903 included         |                          |                             |                             | x                          | x           | x                 | -                  | Verado12    |             |  |
| F500 XXL SeaPro                                                                   | XXL            | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          |                                    | EFI         | 2,50:1     |                               | 7.600              | V12      | 5000-5800                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | VV 903 included         |                          |                             |                             | x                          | x           | x                 | -                  | Verado12    |             |  |
| F500 XXXL SeaPro                                                                  | XXXL           | x                |               | x              |                                 | x                            |              | x              |            | x          |                                | x                          |                                    | EFI         | 2,50:1     |                               | 7.600              | V12      | 5000-5800                 |                   | -                                          | -                | -                                 | x                   | -            | -             | -                 | VV 903 included         |                          |                             |                             | x                          | x           | x                 | -                  | Verado12    |             |  |

\* Dry weight is for the lightest model and excludes engine oil, rigging, and propeller.

\*\* SeaPro Engines are shipped with SmartCraft Instruments with black face

Dual Installations of SeaPro engines 115 HP up to 300 HP include the following instruments: 2x SC1000 Tacho, 2x SC100 Trim Gauge, 1x SC100 Fuel Gauge, 1x VesselView Mobile